

## TOTAL PERFORMANCE INTERCHANGEABLE TRAFFIC POST & CHANNELIZER SYSTEM



### HUB CONNECT TOTAL SAFETY PERFORMANCE

EveluxUSA introduces the new TOTAL PERFORMANCE Traffic Safety Line with HUB CONNECT, an extensive line of universal attachment systems that allow you to deploy, and interconnect traffic posts with a full line of safety attachments increasing vehicle and pedestrian awareness. The hub Connect system allows departments to do more with less parts reducing inventory and best of all save money. Discover the New HUB CONNECT Line from EveluxUSA with channelizers, posts, lights, signs and bases.

HUB CONNECT is designed to allow EveluxUSA flexible traffic posts to easily connect to several types of safety devices to accommodate and adapt to a multitude of safety applications. Whether you are anchoring, gluing, placing or installing a delineator system, EveluxUSA HUB CONNECT system helps provide advance notice to approaching motorists, bicyclists and pedestrians of potential hazards. All system components are designed to be fully interchangeable.


#### POST ATTACHMENTS INCLUDE:

- Solar powered LED construction and strobe lights
- Sign panels for short and continues curbing
- Adhesive or anchor surface mount base
- Weighted base for temporary placement
- Low and high profile channelizers /curbing

#### CHANNELIZER ATTACHMENTS INCLUDE:

- 3 Inch Dia. Flexible traffic posts in 18", 30" and 36" heights
- 7.5 Inch Dia. Flexible K71 traffic post 30"
- Cats Eye reflectors
- Optical 360 and 180 degree markers
- LED Studs




#### HUB CONNECT ATTACHMENT SYSTEM









EveluxUSA Channelizers help define roadways and separate vehicle traffic from bicycle lanes and pedestrians. Channelize vehicles through hazard zones providing a cost effective temporary or permanent solution to safety enhancement plans. All system components are designed to be fully interchangeable with HUB CONNECT.




## LINEAL AND SHORT SECTION CHANNELIZER

LOW PROFILE		TYPE: Stand Alone	
	Model:	C1	
	Length:	39"	
	Width:	8.5"	
	Height:	2 <sup>3</sup> / <sub>4</sub> "	
		TYPE: End Section	
	Model:	C2	
	Length:	34.5"	
	Width:	8.5"	
	Height:	2 <sup>3</sup> / <sub>4</sub> "	
		TYPE: Mid Section	
	Model:	C3	Model: C4
	Length:	29.5"	Length: 34"
	Width:	8.5"	Width: 8.5"
	Height:	2 <sup>3</sup> / <sub>4</sub> "	Height: 2 <sup>3</sup> / <sub>4</sub> "


3" Diameter Post	7.5" Diameter Post
	
	
3" Dia.	
	
7.5" Dia.	

## ACCESSORIES

REFLECTORS	
	Model: C360
	360° Optical insert markers provide focal beam light reflex for channelizers
Available colors: White, yellow, blue, red	
	Model: C180
	Cats Eye T-Top reflectors offer bi-directional light reflex illumination
Available colors: White, yellow	

FLEXIBLE TRAFFIC POSTS	
	Model: A1, A2, A3
	A1 Height: 36"
	A2 Height: 30"
	A3 Height: 18"
Dia.: 3"	
Available colors: White, yellow, orange, black	
	Model: K71
	Height: 29"
	Dia.: 7.5"
	Available colors: White, yellow, orange, black, forest green, bright green. Custom colors: blue, red (For hydrant identification)
	
Optional Rubber base for Temporary & glue down applications	
Part # 4A-0400-BASE-10	





EveluxUSA Channelizers help define roadways and traffic from bicycle lanes and pedestrians. Channelize vehicles through hazard zones providing a cost effective Temporary or permanent solution to safety enhancement Plans. All system components are designed to be fully Interchangeable with HUB CONNECT.

## LINEAL AND SHORT SECTION CHANNELIZER

### HIGH PROFILE

TYPE: Stand Alone



### TYPE: Single Section

Model: D1  
Length: 39"  
Width: 8"  
Height: 3"

Recessed end reflectors for enhanced night illumination



### 3" Diameter Post



### 7.5" Diameter Post



## ACCESSORIES

### REFLECTORS



Model: D360  
360° Optical insert markers provide focal beam light reflex for channelizers  
Available colors:  
White, amber, blue, red



Model: D180  
180° Optical insert markers provide Unidirectional and Bi-directional light reflex guidance for channelizers  
Available colors:  
White, amber, red, white/red, amber/red

### FLEXIBLE TRAFFIC POSTS



Model: A1, A2, A3  
A1 Height: 36"  
A2 Height: 30"  
A3 Height: 18"  
Dia.: 3"  
Available colors:  
White, yellow, orange, black



Model: K71  
Height: 29"  
Dia.: 7.5"  
Available colors:  
White, yellow, orange, black, forest green, bright green. Custom colors: blue, red  
(For hydrent identification)



Optional Rubber base for Temporary & glue down applications

Part # 4A-0400-BASE-10



EveluxUSA Flexible surface mount traffic posts are available in 3 heights and have a universal base attachment system. Base attachments are low profile with a choice of adhesive, anchor or weighted base. HUB CONNECT post cap adapter allow for the attachment of signs and construction lights. Warn approaching motorists of danger or simply use to mark and channelize vehicles through construction zones or simply to manage urban city traffic control.

## A SERIES TRAFFIC POST


### SURFACE MOUNT FLEXIBLE POSTS



A1 Height: 36"  
A2 Height: 30"  
A3 Height: 18"  
Dia.: 3"

Available colors:  
Yellow, white, orange, black

### BASE MOUNTING OPTIONS




B1 Adhesive base  
B2 Anchor base  
B3 Weighted 10 lbs base

### CHANNELIZER MOUNTING OPTIONS



C1 Low profile channelizer  
D1 High profile channelizer

### INSTALLATION



Adhesive base installation requires no tools, no metal parts

- 1 Place adhesive on base
- 2 Place ring over post
- 3 Tighten securely

### STANDARD AND CUSTOM SIGNS



Lightweight "Spin-on" Message sign panels are available blank or with standard legends. Your Logo or custom messaging available. Available in single and double sided

### CONSTRUCTION AND STROBE LIGHTS



### PART NUMBERS

A1	EVA-12275-UBR	36" Tall Flexible post with adhesive base
A2	EVA-12232-UBR	30" Tall Flexible post with adhesive base
A3	EVA-12236-UBR	18" Tall Flexible post with adhesive base
B1	EVA-HDW-12232-BASE	Adhesive base Dia 7.8 inches
B2	EVA-HDW-12233-BASE	Anchor base Dia 7.8 inches
C1	EVA-12268-39	39" Single section low profile channelizer
C2	EVA-12268-35	34.5" End section low profile channelizer
C3	EVA-12268-30	29.5" Center section low profile channelizer
C4	EVA-12268-34	34" Center section low profile channelizer
D1	EVA-12219-39	39" High profile section channelizer
E1	EVA-194-A	3 1/4" delineator adapter for signs & LED lights
F1	EVA-11811-A	Amber bi-directional LED flasher with reflective sheeting
F2	EVA-11813-R	Red bi-directional LED flasher with reflective sheeting
F3	EVA-11825-A	Amber bi-directional LED flasher
F2	EVA-11827-R	Red bi-directional LED flasher
G1	EVA-111-A	13 3/4" x 16.4" rectangular sign board-BLANK
G2	EVA-110-A	15.35" Triangular sign board - BLANK
G3	EVA-196-A	15" circular sign board - BLANK